

**AMENDMENTS TO THE CLAIMS**

1. (Currently Amended) A black composition comprising as indispensable components a titanium nitride oxide, a resin and a solvent; wherein X-ray intensity ratios  $R_1$  and  $R_2$  represented by the Equations (1) and (2) below, respectively, satisfy the relationships represented by Formulae (3) and (4) below:

$$R_1 = I_3 / \{I_3 + 1.8(I_1 + 1.8I_2)\} \quad (1)$$

$$R_2 = I_2 / I_1 \quad (2)$$


$$R_1 > 0.70 \quad (3)$$

$$0.85 < R_2 < 1.80 \quad (4)$$

wherein  $I_1$  represents the maximum diffraction intensity of the titanium nitride oxide when the angle of diffraction  $2\theta$ , determined by using  $\text{CuK}\alpha$  line as the X-ray source, is  $25^\circ$  to  $26^\circ$ ,  $I_2$  represents the maximum diffraction intensity of the titanium nitride oxide when the angle of diffraction  $2\theta$  is  $27^\circ$  to  $28^\circ$ , and  $I_3$  represents the maximum diffraction intensity of the titanium nitride oxide when the angle of diffraction  $2\theta$  is  $36^\circ$  to  $38^\circ$ , and  
wherein a black coating film obtained from said black composition has an optical density (OD value) of not less than 4.4 per 1  $\mu\text{m}$  of film thickness, and wherein the minimum exposure energy required for photo-curing is not more than 60  $\text{mJ}/\text{cm}^2$ .

2. (Original) The black composition according to claim 1, wherein said X-ray intensity ratio  $R_1$  is not less than 0.80.

3. (Previously Presented) The black composition according to claim 1, wherein said solvent has a boiling point of 120°C to 180°C, and a viscosity of 3 mPa·s to 10 mPa·s.
4. (Previously Presented) The black composition according to claim 1, wherein said resin is at least one selected from the group consisting of an acrylic resin and a polyimide resin.
5. (Previously Presented) The black composition according to claim 1, further comprising an organosilane hydrolysis condensate.
6. (Previously Presented) The black composition according to claim 1, further comprising a compound having a siloxane bond and a carbon-carbon double bond in a single molecule and having no silanol group.
7. (Previously Presented) The black composition according to claim 6, wherein said compound having a siloxane bond and a carbon-carbon double bond in a single molecule and having no silanol group has the structure represented by the following Formula (7):



wherein each  $R^1$  independently represents hydrogen or alkyl group; each  $R^2$  independently represents an organic group containing amide bond, imide bond, ester bond or urethane bond;  $R^3$  to  $R^6$  independently represent alkyl group; and n represents an integer of 1 to 3.

8. (Previously Presented) The black composition according to claim 1, wherein the weight ratio of said titanium nitride oxide to said resin is within the range between 75/25 and 60/40.

9. (Previously Presented) The black composition according to claim 1, further comprising carbon black.

10. (Cancelled).

11. (Currently Amended) A black composition comprising as indispensable components a titanium nitride oxide and a resin; wherein X-ray intensity ratios  $R_1$  and  $R_2$  represented by the Equations (1) and (2) below, respectively, satisfy the relationships represented by Formulae (3) and (4) below:

$$R_1 = I_3 / \{I_3 + 1.8(I_1 + 1.8I_2)\} \quad (1)$$

$$R_2 = I_2 / I_1 \quad (2)$$

$$R_1 > 0.70 \quad (3)$$


$$0.85 < R_2 < 1.80 \quad (4)$$

wherein  $I_1$  represents the maximum diffraction intensity of the titanium nitride oxide when the angle of diffraction  $2\theta$ , determined by using  $\text{CuK}\alpha$  line as the X-ray source, is  $25^\circ$  to  $26^\circ$ ,  $I_2$  represents the maximum diffraction intensity of the titanium nitride oxide when the angle of diffraction  $2\theta$  is  $27^\circ$  to  $28^\circ$ , and  $I_3$  represents the maximum diffraction intensity of the titanium nitride oxide when the angle of diffraction  $2\theta$  is  $36^\circ$  to  $38^\circ$ ; and wherein the transmittance of i-ray when the optical density (OD value) is 2.0 is more than 0.2%.

12. (Original) The black coating composition according to claim 11, wherein said X-ray intensity ratio  $R_1$  is not less than 0.80.
13. (Previously Presented) The black coating composition according to claim 11, wherein said resin is at least one selected from the group consisting of an acrylic resin and a polyimide resin.
14. (Previously Presented) The black coating composition according to claim 11, wherein the weight ratio of said titanium nitride oxide to said resin is within the range between 75/25 and 60/40.
15. (Previously Presented) The black coating composition according to claim 11, which has an optical density (OD value) of not less than 4.4 per  $1\ \mu\text{m}$  of film thickness.
16. (Cancelled).

17. (Previously Presented) The black coating composition according to claim 11, further comprising a compound having a siloxane bond and a carbon-carbon double bond in a single molecule and having no silanol group.

18. (Previously Presented) The black coating composition according to claim 17, wherein said compound having a siloxane bond and a carbon-carbon double bond in a single molecule and having no silanol group has the structure represented by the following Formula (7):



wherein each  $\text{R}^1$  independently represents hydrogen or alkyl group; each  $\text{R}^2$  independently represents an organic group containing amide bond, imide bond, ester bond or urethane bond;  $\text{R}^3$  to  $\text{R}^6$  independently represent alkyl group; and  $n$  represents an integer of 1 to 3.

19. (Previously Presented) The black coating composition according to claim 11, further comprising carbon black.

20. (Previously Presented) A resin black matrix obtained from said black coating composition according to claim 11.

21. (Original) A color filter for liquid crystal displays, which color filter comprises said resin black matrix according to claim 20.
22. (Original) A liquid crystal display comprising said color filter for liquid crystal displays, according to claim 21.